AXOR

AXOR Uno Electronic basin mixer for concealed installation wall-mounted with spout 165 mm Finish: Matt White Article Number: 38119700


product features · projection: 165 mm
· spray type: normal spray
maximum flow rate at 3 bar: 5 l/min
· temperature adjustable via basic set
infrared sensor technology
· automatic environmental adjustment of infrared
sensor
 adjustable optical range of infrared sensor (5 settings)
· 230 V / 50 Hz mains connection
· running time: 10 s
· hygiene rinse activatable (automatic water flow)
 frequency of hygiene rinse: 24 h
· flushing time hygiene rinse: 10 s
 permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
 cleaning mode: manual water stop for washbasin cleaning
TÜV certified
· dirt filters in the connection hoses
 for ideal function please note a minimum distance of 140 mm from the aerators center to the back rim of the wash basin
 EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible

AXOR

AXOR Uno Electronic basin mixer for concealed installation wall-mounted with spout 165 mm Article Number: 38119700 Finish: Matt White

11

Q = I/min 0 3 6 9 12 15 18 21 24 27 30 Q = I/sec 0 0,1 0,2 0,3 0,4 0,5



AXOR

AXOR Uno Electronic basin mixer for concealed installation wall-mounted with spout 165 mm Finish: Matt White Article Number: 38119700

